



Clean-Lined Walnut Pivot Steel Door TR334

CODE: TR334

Pivot Steel Door Models

Black-framed walnut pivot leaf with narrow frosted glass strips on both sides. Product code: TR334. Made to measure after an on-site survey.

SPECIFICATIONS

Leaf construction	pivot single leaf + double narrow frosted glass
Color / finish	walnut
Surface pattern	straight-grain surface
Handle	long vertical black handle
Design language	modern pivot
Mechanism	Floor- and ceiling-mounted pivot (rotating) mechanism
Rotation system	Floor and ceiling bearings — no conventional hinges used
Load transfer	Leaf weight is transferred to the floor, not the frame
Rotation axis	Determined per project based on leaf width (central or offset)
Floor preparation	Preparation is required where the bottom bearing sits — assessed during site survey
Required clearance	Clearance is needed in both directions, as the leaf swings both inward and outward
Maximum leaf	Custom project-based sizing — tall and wide leaf production
Sheet thickness	Frame 2 mm, leaf 1.5+1.5 mm DKP steel sheet (Ereğli A1)
Frame	Ereğli A1 grade 2 mm DKP steel sheet, omega-bent
Frame reinforcement	Lock area and bearing seats reinforced with 3 mm DKP steel sheet
Leaf	Ereğli A1 grade 1.5 mm + 1.5 mm omega-bent, monoblock-reinforced pan system

PRE-ORDER AND SITE SURVEY

When requesting a quote for this model, mention product code TR334. The site survey is free; once measurements are taken, you receive a written, itemized quote.

+90 532 689 21 46 · WhatsApp: +90 532 689 21 46

ABOUT THE MANUFACTURER

Bayrakdoor Çelik Kapı manufactures made-to-measure steel doors at its own factory in Gaziosmanpaşa, Istanbul. With 20 yılı aşkın çelik kapı üretim tecrübesi, more than 1,000 projects have been completed. Doors aren't sold in ready-made sizes: a free on-site survey is carried out, the door opening is measured, and the leaf is built to those measurements. Bayrakdoor Çelik Kapı markası the

Turkish Patent and Trademark Office nezdinde 2021/143545 numarasıyla tescillidir (12.10.2021).

